

Page 1 of 1

All amounts are calculated in domestic currency.

| Purchase Order ID/ Curr Type | Line Nbr/ Insp Req | Project ID | Reference/ Description/ Cert Std | PO U/M / Stock U/M | Required Date | Recv Date/ Recv Emp | Recv Qty (PO U/M) | Cost Per Unit/ Recv Value | Inspected Qty/ Rejected Qty (PO U/M) | MIRB Qty/ MIRB Reject Qty | Book Amt |
|---|---------------------------------------|------------|--|-----------------------|---------------------|------------------------|----------------------|------------------------------|--|------------------------------|----------|
| Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd | | | | | | | | | | | |
| PO24973 CAD | 1 | | M2024T3S.080 sf | sf ✓ | 7/21/2014 7/25/2014 | | 192.0000 | \$4.53 | 0.0000 | 0 | \$869.72 |
| | No | | 2024-T3 .080 sheet m129891 | | 192.0000 DESJ02 | | | \$869.72 | 0.0000 | 0 | |
| | 2 | | M304B0.375X03.000 f | | 7/21/2014 7/25/2014 | | 10.0000 | \$11.94 | 0.0000 | 0 | \$119.38 |
| | No | | M304 SS bar .375 x 3.00 m129891 | | 10.0000 DESJ02 | | | \$119.38 | 0.0000 | 0 | |
| | 13 | | M7075T6B0.375X6.0 f | | 7/21/2014 7/25/2014 | | 24.0000 | \$15.19 | 0.0000 | 0 | \$364.57 |
| | No | | 7075-T6 BAR 0.375" x 6.000" m129891 | | 24.0000 DESJ02 | | | \$364.57 | 0.0000 | 0 | |
| | 14 | | M7075T6B1.500X1.5 f | | 7/21/2014 7/25/2014 | | 12.0000 | \$13.92 | 0.0000 | 0 | \$167.01 |
| | No | | 7075 T6 BAR 1.500 x 1.500 m129891 | | 12.0000 DESJ02 | | | \$167.01 | 0.0000 | 0 | |
| | 15 | | M7075T6B6.000X1.0 f | | 7/21/2014 7/25/2014 | | 12.0000 | \$33.70 | 0.0000 | 0 | \$404.44 |
| | No | | 7075-T6 BAR 6.000" x 1.000" m129891 | | 24.0000 DESJ02 | | | \$404.44 | 0.0000 | 0 | |
| | Total Received Quantity: 250.0000 | | | | | | | | | | |
| | Total Qty to Inspect (PO U/M): 0.0000 | | | | | | | | | | |
| | Total Reject Quantity: 0.0000 | | | | | | | | | | |
| | Total Receipt Value: \$1,925.12 | | | | | | | | | | |
| | Total Balance Due Quantity: 12.0000 | | | | | | | | | | |

Receiving Report

Date:

14/7/25
Thyosah

Batch No:

M129891

Supplier:

Dart P/O:

24973

Packing Slip: Yes ☒ No ☐
Invoice: Yes ☐ No ☒
Receipt: Cash ☐ Cr ☒
New Supplier Yes ☒ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
Waybill Attached: Yes ☐ No ☒
Shipment Complete: Yes ☒ No ☒ N/A ☐
QC18 Inspection ☒ DAS 14-07-29 N/A ☐
Work Order 23 N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Rec'd | Quantity Short | Quantity Inspected | Quantity Rejected | Comment / NCR Number |
|---------------|----------------------|------------------|----------------|----------------|--------------------|-------------------|----------------------|
| <u>M70705</u> | <u>636.00 x 1.00</u> | <u>24</u> | <u>12</u> | <u>12</u> | | | |
| | | | | | | | |
| | | | | | | | |

Initials of Receiver

QC12

[Signature]

Production/Admin:

Date

Received/Costing

Initial

Location

B I L L O F L A D I N G

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 888606
Ship Date 23Jul14 at 15:16 From PFW
Probill
Via VIM DELIVERY
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7

Ship To: (1)
DART AEROSPACE
1270 ABERDEEN ST
HAWKESBURY, ON K6A 1K7
Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC-702040- 1 Your PO # 24973
Part # Rel # CHANTAL

ALUMINUM SHEET 2024 -T3
.0800 Nom X 48.0000" X 144.0000"

Heat Number Tag No
684098A7 601406

Quantity PCS Wt LBS
192.00 SFT 4 221

MTR

2) Our Order PEC-702040- 2 Your PO # 24973
Part # Rel # CHANTAL

STAINLESS STEEL FLAT BAR 304L SLIT/EDGED
.375" x 3.00" X 120.0000"

Heat Number Tag No
1310439 315832

Quantity PCS Wt LBS
10 FT 1 40

MTR

3) Our Order PEC-702040- 3 Your PO # 24973
Part # QQ-A250/12 Rel # CHANTAL

ALUMINUM PLATE 7075-T651
.375" THICK X 6.0000" X 144.0000"

Heat Number Tag No
R12372 601286

Quantity PCS Wt LBS
12.00 SFT 2 70

MTR

4) Our Order PEC-702040- 4 Your PO # 24973
Part # Rel # CHANTAL

ALUMINUM SQUARE BAR 7075-T651 QQ-A-225/9
1.50" X 144.0000"

Heat Number Tag No
MA20133796 601542

Quantity PCS Wt LBS
12 FT 1 34

MTR

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

SHIP FROM:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

SHIP TO: (1)
DART AEROSPACE

NO: PEC 888606
SHIP DATE 23Jul14 at 15:16 From PFW
Probill
Via VIM DELIVERY
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

B I L L O F L A D I N G

5) Our Order PEC-702040- 5 Your PO # 24973
Part # Rel # CHANTAL

MTR

ALUMINUM PLATE 7075-T651

1.00" THICK X 6.0000" X 144.0000"

Heat Number Tag No
171061 601407

Quantity PCS Wt LBS
6.00 SFT 1 94

TOTAL: Tags PCS LBS
5 9 459

Heat Number *** Chemical Analysis ***
1310439
MA20133796

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL 1 PKG, 1 TUBE, 1 SKID, 2 BDLS GW. 657 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 Last

Sam Titley
14.08-25
5/5

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

THYSSENKRUPP MATERIALS NA

PO/Ref 24973

/CHANTAL

Certificate of Mill Test Results

STAINLESS STEEL PLAT BAR 304L SLIT/EDGED
375" x 3.00" x 120.0000"

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

BL PEC-888606-002

23/01/14
Pg 1/1

PART NO.

S.I.P.I.

CERTIN.

DATE:

19/09/13

PACKING LIST NR

1016

YOUR ORDER

PO2673-2765

DESCRIPTION OF PRODUCTS

STAINLESS STEEL ROLLED
EDGES FLAT BARS

FIDELITY STAINLESS LTD

1303 NORTH SERVICE ROAD EAST
OAKAVILLE ON L6H 1A7
CANADA

PAG 2/3

ACCORDING TO

ASTM A240 - ASTM A480-ASME SA240 - ASME SA480

DAS
23
9-89

| HEAT | COIL | Quality | LENGTH FEET | THICK INCHES | WIDTH INCHES | WEIGHT LBS | YIELD STN KSI | YIELD 1% KSI | TENSILE STRENGTH KSI | ELONGATION % A5 | BEND TEST 180° | HARDNESS BRINELL | |
|---|----------|---------|----------------|-----------------|-----------------|---------------|------------------|-----------------|----------------------------|--------------------|-------------------|---------------------|-------|
| 0508062 | 407406 | 304L | 12 | 1/4 | 4 | 1005 | 46 | | 93 | 51.00 | | 88.00 | |
| 0508062 | 407406 | 304L | 12 | 1/4 | 5 | 1005 | 48 | | 93 | 51.00 | | 88.00 | |
| 0508062 | 407406 | 304L | 12 | 1/4 | 6 | 1005 | 45 | | 93 | 51.00 | | 88.00 | |
| 1310439 | 4390200 | 304L | 12 | 3/8 | 1 | 935 | 44 | | 98 | 52.00 | | 87.00 | |
| 1310439 | 4390200 | 304L | 12 | 3/8 | 2 | 1986 | 44 | | 96 | 52.00 | | 87.00 | |
| 1310439 | 4390200 | 304L | 12 | 3/8 | 3 | 1924 | 44 | | 95 | 52.00 | | 87.00 | |
| 1310439 | 4390200 | 304L | 12 | 3/8 | 4 | 1806 | 44 | | 96 | 52.00 | | 87.00 | |
| 1311754 | 17540400 | 304L | 12 | 1/2 | 1 | 1993 | 41 | | 93 | 56.00 | | 87.00 | |
| 1311754 | 17540400 | 304L | 12 | 1/2 | 2 | 1973 | 41 | | 93 | 56.00 | | 87.00 | |
| 1311754 | 17540400 | 304L | 12 | 1/2 | 2 1/2 | 1065 | 41 | | 93 | 56.00 | | 87.00 | |
| 1311754 | 17540400 | 304L | 12 | 1/2 | 5 | 1019 | 41 | | 93 | 56.00 | | 87.00 | |
| 0433557 | 393212 | 316L | 12 | 1/4 | 2 | 970 | 39 | | 32 | 55.00 | | 85.00 | |
| HEAT | COIL | Quality | C | SI | Mn | P | S | Cr | Mo | Ni | Ti | Co | N |
| 0508062 | 407406 | 304L | 0.025 | 0.030 | 1.730 | 0.028 | 0.030 | 18.050 | | 8.050 | | | 0.056 |
| 1310439 | 4390200 | 304L | 0.018 | 0.410 | 1.450 | 0.025 | 0.001 | 18.160 | | 8.050 | | | 0.067 |
| 1311754 | 17540400 | 304L | 0.019 | 0.360 | 1.520 | 0.034 | 0.004 | 18.060 | | 8.110 | | | 0.068 |
| 0433557 | 393212 | 316L | 0.023 | 0.350 | 0.000 | 0.032 | 0.001 | 16.510 | 2.020 | 10.220 | | | 0.041 |
| QUENCHING: 1050° | | | | | | | | | | | | | |
| COUNTRY OF ORIGIN: ITALY FREE FROM MERCURY CONTAMINATION | | | | | | | | | | | | | |
| OK | | | | | | | | | | | | | |
| OK | | | | | | | | | | | | | |
| S.I.P.I. | | | | | | | | | | | | | |
| Quality control | | | | | | | | | | | | | |
| Quality control | | | | | | | | | | | | | |
| Claudio Carabini | | | | | | | | | | | | | |
| The following information is provided for your reference only. It is not intended to be used for any other purpose. | | | | | | | | | | | | | |
| The following information is provided for your reference only. It is not intended to be used for any other purpose. | | | | | | | | | | | | | |

Claudio Carabiani

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

| | | | | | |
|---|--------------------------|--------------------------|--|---------------------|--|
| CUSTOMER PO NUMBER: 5400219451-30 | | WORK PACKAGE: | CUSTOMER PART NUMBER: ALFLR01585-48 | | PRODUCT DESCRIPTION: Kaiser Stretched |
| KAISER ORDER NUMBER: 1171863 | LINE ITEM: 3 | SHIP DATE: 05/01/2014 | ALLOY: 2024 | CLAD: BARE | TEMPER: T3 |
| WEIGHT SHIPPED: 3256 LB | QUANTITY: 58 PCS EST. | B/L NUMBER: 2047633 | GAUGE: 0.0800 IN | WIDTH: 48.000 IN | LENGTH: 144.000 IN |
| SHIP TO: COPPER & BRASS SALES 404 CENTURA COURT SPARTANBURG, SC 29303 US | | | SOLD TO: COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US | | |

MHU 1779564: LOT 684098A7: 58 pieces

Certified Specifications

AMS 4037/RevP AMS-QQ-A-250/4/RevA ASTM B 209/Rev10 CMMP 019/RevD CMMP 025/RevU

Test Code: 1504 ^{DAS} 23 14-07-29 Test Results:

LOT: 684098A7 CAST: 674 DROP: 43 INGOT: 1

Melted in USA
(ASTM E8/B557)
(EN 2002-1)

| | | | | |
|-----------------|-------------------|----------------------------|----------------------------|--------------|
| Tensile: Temper | Dir/#Tests | Ultimate KSI (MPA) | Yield KSI (MPA) | Elongation % |
| T3 | LT / 02 (Min:Max) | 63.3 : 65.6 (436 : 452) | 43.5 : 44.6 (300 : 308) | 18.2 : 18.6 |

(ASTM E1251)

| | | | | | | | | | | | |
|------------|------|------|-----|------|-----|------|------|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| Actual | 0.09 | 0.25 | 4.4 | 0.56 | 1.3 | 0.01 | 0.18 | 0.02 | 0.01 | 0.00 | TOT 0.04 |

| | | | | | | | | | | | |
|------------|----------|------|-----|------|-----|------|------|------|------|------|----------|
| Chemistry: | SI | FE | CU | MN | MG | CR | ZN | TI | V | ZR | OTHER |
| 2024 | MIN 0.00 | 0.00 | 3.8 | 0.30 | 1.2 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | MAX 0.05 |
| | MAX 0.50 | 0.50 | 4.9 | 0.9 | 1.8 | 0.10 | 0.25 | 0.15 | 0.05 | 0.05 | TOT 0.15 |

Aluminum Remainder

Plant Serial: 4332114

Kaiser Order Number: 1171863

Line Item: 3

Page 1 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266504

CstAr

CstOr 259848

Wgt.: 221.184 LB

Date 07/14/2014

John R. Zumbatti

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser), is ISO-9001:2008/AS9100C certified and hereby certifies that all material shipped under this order: * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. * has been thermally processed in compliance with AMS 2772, where applicable. * is mercury free, within the limits of detection of ASTM E1251 (<1ppm). * is in compliance with RoHS 2, European Union Directive 2011/65/EU. * is in compliance with and regularly monitors any updates to the European Chemical Agency, ECHA, REACH regulations, (EC) 1907/2006. * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR

James Hemenway

Plant Serial: 4332114
Kaiser Order Number: 1171863
Line Item: 3

Page 2 of 2

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266504
CstAr CstOr 259848
Wgt.: 221.184 LB Date 07/14/2014

John R. Zumbath

Constellium Valais SA

CH-3960 Sierre
Suisse

Aerospace and Transportation
Europe - AT Valais, Usines de Sierre et Steg

Tel : +41(0) 27 457 51 11
<http://www.constellium.com>

Constellium

3

CONSTELLIUM ROLLED PRODUCTS
RAVENSWOOD, LLC

US -26164 RAVENSWOOD

INSPECTION CERTIFICATE

According To EN 10204-3.1
Disp. Advice / Cert 0080237066
Date 10/07/2013 Page 1

Your Order 5400179908
Copper
Project
Dated 01/05/2013
Our Confirmation No. 143280-50
Customer No. 606281
Sales Contact Fabienne Salamin
++41 (27) 457 6432
Certificate Dpt : 41 27 457 66 92

Aluminium plates in AA7075-T651, mill finish, Alumatex paper interleaved
To AMS 4045K, AMS QQ-A-250/12 August 1997, ASTM B209 and SIE0002

DAS

23

9-89

Your article : 012-000501

14-07-29

| Lot | Production No. | Weight | Quantity | Dimensions |
|--------|----------------|-------------|----------|---------------------------|
| R12372 | 6241623 | 3117.28 Lbs | 9 | 0.375" x 60.50" x 144.50" |

Mechanical and technological properties

| Sample | Temper | Ksi-UTS | Ksi-YS | A%2inch | HB | | | | | | | |
|---------|--------|---------|--------|---------|----|--|--|--|--|--|--|--|
| min-max | T651 | >=78 | >=67 | >=9 | | | | | | | | |
| min-max | | | | | | | | | | | | |

Measured values

| | | | | | | | | | | | | |
|----------|------|------|------|----|-----|--|--|--|--|--|--|--|
| R12372-1 | T651 | 86.0 | 75.5 | 14 | 174 | | | | | | | |
| R12372-2 | T651 | 85.4 | 75.5 | 14 | 176 | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Chemical composition

Required composition (% by weight)

| Casting No | Si | Fe | Cu | Mn | Mg | Cr | Ni | Zn | Ti | | |
|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|--|
| Min | | | 1.2 | | 2.1 | .18 | | 5.1 | | | |
| Max | .40 | .50 | 2.0 | .30 | 2.9 | .28 | .05 | 6.1 | .20 | | |

Analysis results (% by weight)

Other elements: Each <= 0.05% Total <= 0.15%

| | | | | | | | | | | | |
|----------|------|------|------|------|------|------|-------|------|------|--|--|
| 31374812 | 0.06 | 0.17 | 1.47 | .028 | 2.44 | 0.19 | .0037 | 5.63 | .022 | | |
|----------|------|------|------|------|------|------|-------|------|------|--|--|

Remark

This certificate of conformance verifies that the organization took effective control of quality to meet the specified requirements on both the sales order(s) and the customer purchase order(s)

*** COUNTRY OF ORIGIN AND MANUFACTURE : SWITZERLAND ***

Compliant to the European Union Directive 2011/65/EU also known as RoHS

Alain Thurre

Inspection Department

Valid without signature 03

Système de Management certifié

ISO 9001 / ISO 14001 / OHSAS 18001

Definition of acceptance on demand

00:25:40


ALCOA

Govt. Contract No.

we hereby certify that the material covered in this report has been inspected in accordance with, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, or as previously agreed to with customer and that samples representative of the material meet the composition limits and have the mechanical properties shown on the face of this sheet. Manufactured under an ISO/TS 16949 registered quality management system

Melted and manufactured in the USA.

David E. Landolt

James E. Samuel II
James E. Samuel II, Quality Assurance Manager

BOL 000161748

QRR

Material conforms to T5 requirements

TEST REQUIREMENTS

| TEST REQUIREMENTS | | | | | | | | |
|-------------------|---------------|---------------|---------------|------|------|------|------|------|
| | Test | Test | Test | Test | Test | Test | Test | Test |
| | U.T.S. | T.Y.S. | %Elong | | | | | |
| Max: | | | | | | | | |
| Min: | 77.0 | 66.0 | 07.0 | | | | | |

| Test Results | No. of Tests | Test | Test | Test | Test | Test | Test | Test | Test | Test |
|---------------------------------------|--------------|--------|--------|--------|------|------|------|------|------|------|
| | | U.T.S. | T.Y.S. | %Elong | | | | | | |
| Lot / Work Order MA20133796 | 3 | Max: | 82.8 | 75.9 | 16.0 | | | | | |
| | | Min: | 81.6 | 73.8 | 15.0 | | | | | |

When 2 or more tests per lot are made, the highest and lowest values are reported. Analysis obtained from one or more samples in this lot.

TEST ABBREVIATIONS

U.T.S. Ultimate Tensile Strength KS

Aluminum Association Chemical Composition Limits (in Weight %)

T.Y.S. Tensile Yield Strength KSI .2% offset

| %Elong | Elongation % in 2" |
|--------|--------------------|
| 0 | 0 |
| 10 | 10 |
| 20 | 20 |
| 30 | 30 |
| 40 | 40 |
| 50 | 50 |
| 60 | 60 |
| 70 | 70 |
| 80 | 80 |
| 90 | 90 |
| 100 | 100 |

| ALLOY | %SI | %FE | %CU | %MN | %MG | %CR | %ZN | %TI | %Others | %Others | %AL |
|-------|------|-----|-----|------|-----|------|-----|------|---------|---------|-----|
| MAX | 0.40 | | | 0.30 | 2.9 | 0.28 | 6.1 | 0.20 | 0.05 | 0.15 | Rem |
| MIN | | | 1.2 | | 2.1 | 0.18 | 5.1 | | Each | Total | |

Actual Started Chemistry

| LOTWORK ORDER | | %SI | %FE | %CU | %MN | %MG | %CR | %ZN | %TI | %OE | %OT | %AL |
|---------------|------|------|-----|------|-----|------|-----|------|---------|---------|-----|-----|
| MAX | 0.05 | 0.08 | 1.7 | 0.00 | 2.5 | 0.20 | 5.9 | 0.03 | LT 0.05 | LT 0.15 | Rem | |
| MIN | 0.04 | 0.06 | 1.6 | 0.00 | 2.5 | 0.20 | 5.7 | 0.02 | | | | |

NOTES:

Material compliant with DE ARS 252.225-7001 (Buy American Act)
Mercury is not a normal contaminant in aluminum alloys and neither it nor any of its compounds are used in the manufacture of our product.
This alloy meets the requirements of EU 2011/65/EC (RoHS) and EU 2000/53/EC for lead, mercury, cadmium and hexavalent chromium.

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266508

CSTAR Cstor 259848

Wgt.: 34 LB Date 07/15/2014

John. Jacobus.

Certified Inspection Report

01/31/14
00:25:41

Alcoa Inc.
Massena Operations
Park Avenue East, Massena, NY 13662



ALCOA

| | | | | |
|--------------------|-------------------|-------------------|-----------------|--------------------|
| Customer | Customer P.O. No. | Customer Part No. | Alcoa Order No. | Govt. Contract No. |
| Copper Brass Sales | 5400211578 | (ALSQ00010) | MMC-B0354- -020 | |

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266508
CstAr CstOr 259848
Wgt.: 34 LB Date 07/15/2014

John R. Smith



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

5



COPPER & BRASS SALES, INC.
5 STERLING DRIVE
WALLINGFORD CT

06492-2438



COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR 802001 4075 INCLUSION SERIAL#: 20140408802001 PAGE 1 OF 3

| | | | | | |
|--|-------|---------------|---------|-----------------------|---------|
| CUSTOMER PURCHASE ORDER NO. & ITEM | | | | Constellium ORDER NO. | |
| 5400215635 | | | | 235-473829 | |
| ALLOY | CLAD. | TEMPER | GUAGE | WIDTH | LENGTH |
| 7075 | 00 | T651 | 1.03000 | 60.500 | 144.500 |
| MEMORANDUM | | | | | |
| MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION | | | | | |
| AMS-QQ-A-250/12 23 14-07-29 | | | | | |
| PART NUMBER | | 802000 | | DATE SHIPPED | |
| ALFLR00994 | | | | 04/10/14 | |
| WEIGHT SHIPPED | | NO. OF PIECES | | GOVT. CONTRACT NO. | |
| 3,780 | | 4 | | | |

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|--|-------------------|---------------------------------|--------------------------|------|-----------------------|--------|--------------|-----------|-------------|-----------|------|----------|------|------|------|----------|------|-------------|--------------|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN | MAX | | | | | | | | | |
| 171051 | LT | 2 | 80.8 | 81.1 | 71.8 | 71.8 | 12.5 | 13.5 | | | | | | | | | | | |
| All material contained in lot 171051 was cast and manufactured in the USA. | | | | | | | | | | | | | | | | | | | |
| 171061 | LT | 2 | 80.8 | 82.2 | 72.1 | 73.7 | 13.0 | 13.0 | | | | | | | | | | | |
| All material contained in lot 171061 was cast and manufactured in the USA. | | | | | | | | | | | | | | | | | | | |
| ALL LOTS ON THIS CERTIFICATION ALSO CONFORM TO THE FOLLOWING REQUIREMENTS | | | | | | | | | | | | | | | | | | | |
| ASTM B209-10,AMS 4045K | | | | | | | | | | | | | | | | | | | |
| CHEM COMP | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX | TOTAL MAX |
| | | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | |
| | | ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | |

P-860-165D Revised: 02 2014

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266556

CstAr

CstOr 259848

Wgt.: 93.889 LB

Date 07/16/2014

John R. Zambetti



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC



COPPER & BRASS SALES, INC.
5 STERLING DRIVE
WALLINGFORD CT
06492-2438



COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI
48086

COPPER&BR 802001 4075 INCLUSION SERIAL#: 20140408802001 PAGE 2 OF 3

| | | | | | |
|--|-------|---------------|---------|-----------------------|---------|
| CUSTOMER PURCHASE ORDER NO & ITEM | | | | Constellium ORDER NO. | |
| 5400215635 | | | | 235-473829 | |
| ALLOY | CLAD. | TEMPER | GAUGE | WIDTH | LENGTH |
| 7075 | 00 | T651 | 1.03000 | 60.500 | 144.500 |
| ITEM ORDERED | | | | | |
| MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION | | | | | |
| AMS-QQ-A-250/12 | | | | | |
| PART NUMBER | | B/L NUMBER | | DATE SHIPPED | |
| ALFLR00994 | | 802000 | | 04/10/14 | |
| WEIGHT SHIPPED | | NO. OF PIECES | | GOVT. CONTRACT NO. | |
| 3,780 | | 4 | | | |

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good
Steve Good - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|-----------------------------|---------------------------------|-----------------|--------------------------|----------|------------------------|----------|--------------|-----------|-------------|-----------|------|----------|------|------|------|----------|------|-----------|------------|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN | MAX | | | | | | | | | |
| ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | | | |
| 171051 | C | | SI= 0.07 | FE= 0.11 | CU= 1.44 | MN= 0.01 | MG= 2.46 | | | | | | | | | | | | |
| | | | CR= 0.20 | ZN= 5.61 | TI= 0.02 | ZR= 0.00 | | | | | | | | | | | | | |
| | | | OTHERS-EACH: .05 MAX. | | OTHERS TOTAL: .15 MAX. | | AL REMAINDER | | | | | | | | | | | | |
| 171061 | C | | SI= 0.07 | FE= 0.11 | CU= 1.44 | MN= 0.01 | MG= 2.46 | | | | | | | | | | | | |
| | | | CR= 0.20 | ZN= 5.61 | TI= 0.02 | ZR= 0.00 | | | | | | | | | | | | | |
| | | | OTHERS-EACH: .05 MAX. | | OTHERS TOTAL: .15 MAX. | | AL REMAINDER | | | | | | | | | | | | |
| CHEMICAL ANALYSIS | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. |
| | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | | |
| ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | | | |

P-860-165D Revised: 02-2014

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266556

CstAr

CstOr 259848

Wgt.: 93.889 LB

Date 07/16/2014

John L. Zambetti



CERTIFIED TEST REPORT

Constellium Rolled Products Ravenswood, LLC

COPPER & BRASS SALES, INC.
5 STERLING DRIVE
WALLINGFORD CT

06492-2438

COPPER & BRASS SALES
P.O. BOX 5116
SOUTHFIELD MI

48086

COPPER&BR 802001 4075 INCLUSION SERIAL#: 20140408802001 PAGE 3 OF 3

| | | | | | |
|--|-------|---------------|------------|-----------------------|--------------|
| CUSTOMER PURCHASE ORDER NO. & ITEM | | | | Constellium ORDER NO. | |
| 5400215635 | | | | 235-473829 | |
| ALLOY | CLAD. | TEMPER | GAUGE | WIDTH | LENGTH |
| 7075 | 00 | T651 | 1.03000 | 60.500 | 144.500 |
| ITEM ORDERED | | | | | |
| MOLD PLATE-DIST GE SPEC PLATE, SAWED MILL | | | | | |
| CUSTOMER SPECIFICATION | | | | | |
| AMS-QQ-A-250/12 | | | | | |
| PART NUMBER | | | B/L NUMBER | | DATE SHIPPED |
| ALFLR00994 | | | 802000 | | 04/10/14 |
| WEIGHT SHIPPED | | NO. OF PIECES | | GOVT. CONTRACT NO. | |
| 3,780 | | 4 | | | |

CERTIFICATION
"Constellium Rolled Products, hereby certifies that metal shipped under this order has been inspected and found in conformance with the requirements of the applicable specifications as indicated herein. Any warranty is limited to that shown on Constellium Rolled Products' standard General Terms and Conditions of Sales. Test reports are on file, subject to examination."

Constellium Rolled Products Ravenswood, LLC
859 Century Road
P.O. BOX 68
RAVENSWOOD, WV 26164 USA

Steve Good - Laboratory Manager

| LOT NUMBER | TEST DIRECTION | NO. OF TESTS | ULTIMATE STRENGTH K.S.I. | | YIELD STRENGTH K.S.I. | | ELONGATION % | | COND % IACS | | | | | | | | | | |
|--|---------------------------------|-----------------|--------------------------|------|-----------------------|--------|--------------|-----------|-------------|-----------|------|----------|------|------|------|--------------|---------------|--------|--|
| | | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN | MAX | | | | | | | | | |
| THIS TEST REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE LABORATORY OR AUTHORIZED QUALITY DELEGATE. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. | | | | | | | | | | | | | | | | | | | |
| CHEMISTRY BY OES: ARKSPARK | | | | | | | | | | | | | | | | | | | |
| CHEMISTRIES REPORTED IN PERCENTAGE BY WEIGHT. | | | | | | | | | | | | | | | | | | | |
| WHEN FRACTURE TOUGHNESS TEST REQUIRED, TESTED PER ASTM E399. | | | | | | | | | | | | | | | | | | | |
| WHEN TENSILE TEST REQUIRED, TESTED PER ASTM E8; B557. | | | | | | | | | | | | | | | | | | | |
| Mark Paperwork: ALFLR00994 | | | | | | | | | | | | | | | | | | | |
| DUNS Number: 090570149; CAGE Code: 1YWL9 | | | | | | | | | | | | | | | | | | | |
| Mercury is not a normal contaminant in aluminum alloys and neither mercury nor any of its compounds were utilized in the manufacture of our product. | | | | | | | | | | | | | | | | | | | |
| "END OF CERTIFICATION" | | | | | | | | | | | | | | | | | | | |
| CHEM COMP | ALLOY | SILICON | | IRON | | COPPER | | MANGANESE | | MAGNESIUM | | CHROMIUM | | ZINC | | TITANIUM | | OTHERS | |
| | | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | MIN. | MAX. | EACH MAX. | TOTAL MAX. | | |
| | SEE ACTUAL CHEMICAL COMPOSITION | | | | | | | | | | | | | | | | | | |
| ALUMINUM REMAINDER | | | | | | | | | | | | | | | | | | | |

P-860-155D Revised: 02/2014

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2403266556

CstAr CstOr 259848

Wgt.: 93.889 LB Date 07/16/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO24973**

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 1 of 7

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|-------------|---|-------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
| 1 | M2024T3S.080 MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209 | 2024-T3 .080 sheet | 7/21/2014 Yes 7/21/2014 | | 192.00 sf | \$4.83 | \$928.00 |
| Line Total: | | | | | | | \$928.00 |
| 2 | M304B0.375X03.000 MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE | M304 SS bar .375 x 3.00 | 7/21/2014 Yes 7/21/2014 | | 12.00 sf | \$12.74 | \$152.85 |
| Line Total: | | | | | | | \$152.85 |

Note:

7/11/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24973

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 2 of 7

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

M129846

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

| | | | | | | | |
|---|------------|---------------------|-------------------------------|------------|-----------|--------|---------|
| 3 | M304R0.375 | 304 ROUND BAR 0.375 | 7/21/2014 Yes 7/21/2014 | 48.00 f | <i>46</i> | \$0.90 | \$43.20 |
|---|------------|---------------------|-------------------------------|------------|-----------|--------|---------|

MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276

NOTE: AISI 303 NOT ACCEPTABLE

Line Total: \$43.20

| | | | | | | | |
|---|-----------|--------------------|-------------------------------|--------------|----------|--------|----------|
| 4 | M304S20GA | 304/316 .040 Sheet | 7/21/2014 Yes 7/21/2014 | 144.00 sf | <i>✓</i> | \$3.15 | \$453.28 |
|---|-----------|--------------------|-------------------------------|--------------|----------|--------|----------|

MATERIAL: AISI 304/316 SS SHEET ANNEALED
AS PER MIL-S-5059 OR AMS 5513 (304)
OR AMS 5524 (316) OR ASTM A240 OR
ASME SA240

Line Total: \$453.28

| | | | | | | | |
|---|-----------|--------------------|-------------------------------|-------------|----------|--------|----------|
| 5 | M304S24GA | 304/316 .025 Sheet | 7/21/2014 Yes 7/21/2014 | 80.00 sf | <i>✓</i> | \$3.14 | \$251.01 |
|---|-----------|--------------------|-------------------------------|-------------|----------|--------|----------|

MATERIAL: AISI 304/316 SS SHEET ANNEALED
AS PER MIL-S-5059 OR AMS 5513 (304)
OR AMS 5524 (316) OR ASTM A240 OR
ASME SA240

Paid 7/18

Note:

7/11/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24973

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 3 of 7

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer Chantal Lavoie
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

Line Total: \$251.01

6 M6061T6B0.375X02.000 6061-T6 Bar .375 x 2.00 7/21/2014
Yes
7/21/2014

12.00
f

\$2.50 \$30.00

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$30.00

7 M6061T6B0.500X10.000 6061-T6 Bar .500 x 10.00 7/21/2014
Yes
7/21/2014

12.00
f

\$14.79 \$177.50

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$177.50

Note:

7/11/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24973

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 4 of 7

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

8 M6061T6B2.000X01.250 6061-T6 Bar 2.00 x 1.25 7/21/2014
Yes
7/21/2014

36.00

f

\$5.95

\$214.20

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total:

\$214.20

9 M6061T6B1.500X02.500 6061-T6 Bar 1.50 x 2.50 7/21/2014
Yes
7/21/2014

12.00

f

\$9.30

\$111.60

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total:

\$111.60

10 M6061T6R0.500 6061-T6 Round Bar .500" 7/21/2014
Yes
7/21/2014

12.00

f

\$2.50

\$30.00

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Note:

7/11/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24973

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 5 of 7

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total: \$30.00

11 M6061T6R3.500 6061 RD bar 3.50 7/21/2014
Yes
7/21/2014

8.00
f

\$25.26 \$202.10

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$202.10

12 M6061T6S.063 6061-T6 .063 Sheet 7/21/2014
Yes
7/21/2014

144.00
sf

\$2.40 \$345.00

MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER
QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027
OR ASTM B209

Line Total: \$345.00

Note:

7/11/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24973

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 6 of 7

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

13 M7075T6B0.375X6.000

7075-T6 BAR 0.375" X
6.000"

7/21/2014

Yes

7/21/2014

24.00

f

\$16.21

\$389.00

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total:

\$389.00

14 M7075T6B1.500X1.500

7075 T6 BAR 1.500 x
1.500

7/21/2014

Yes

7/21/2014

12.00

f

\$14.85

\$178.20

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total:

\$178.20

Note:

7/11/2014



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO24973

Purchase Order Date 7/11/2014

PO Print Date 7/11/2014

Page Number 7 of 7

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

| | | | |
|-----------------|----------------|----------------|----------------------|
| Contact Name | | Buyer | Chantal Lavoie |
| Vendor Phone | 905 669 9444 | Customer POID | |
| | | Customer Tax # | 10127-2607 |
| Ship To Contact | | Terms | Net 30 |
| Ship To Phone | | Currency | CAD |
| Ship Via: | VENDOR'S TRUCK | FOB | FCA - (Free Carrier) |
| Ship Acct: | | | |

| | | | | | | | |
|----|---------------------|--------------------------------|-----------|-------|--|---------|----------|
| 15 | M7075T6B6.000X1.000 | 7075-T6 BAR 6.000" X 1.000" | 7/21/2014 | 24.00 | | \$35.96 | \$863.08 |
| | | | Yes | | | | |
| | | | 7/21/2014 | | | | |

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

Line Total: \$863.08

| | | | | | | | |
|----|----------|--|-----------|------|--|--------|--------|
| 16 | 71401-45 | | 7/21/2014 | 1.00 | | \$0.00 | \$0.00 |
| | | | No | | | | |
| | | | 7/21/2014 | | | | |

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality document

Line Total: \$0.00

PO Total: \$4,369.02

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 7/11/2014